# organic compounds



Acta Crystallographica Section E

### **Structure Reports**

### **Online**

ISSN 1600-5368

## 4-Chloro-1*H*-pyrrolo[2,3-*d*]pyrimidine

### Su-Lan Dong\* and Xiaochun Cheng

College of Life Science and Chemical Engineering, Huaiyin Institute of Technology, Huaiyin 223003, Jiangsu, People's Republic of China Correspondence e-mail: dsl710221@163.com

Received 30 July 2012; accepted 31 July 2012

Key indicators: single-crystal X-ray study; T = 296 K; mean  $\sigma(C-C) = 0.004$  Å; R factor = 0.052; wR factor = 0.145; data-to-parameter ratio = 14.0.

The title compound,  $C_6H_4ClN_3$ , is essentially planar with the pyrrole and pyrimidine rings inclined to one another by 0.79 (15)°. In the crystal, molecules are connected *via* pairs of  $N-H\cdots N$  hydrogen bonds, forming inversion dimers. These dimers are linked *via*  $C-H\cdots N$  interactions, forming a two-dimensional network parallel to (10 $\overline{1}$ ).

### **Related literature**

The title compound is an important organic intermediate in the synthesis of a drug which shows promising activity against HCV replication, see: Chang *et al.* (2010). For bond-length data, see: Allen *et al.* (1987).

### **Experimental**

Crystal data  $C_6H_4CIN_3$   $M_r = 153.57$ Monoclinic,  $P2_1/n$ 

a = 10.8810 (19) Å b = 5.2783 (9) Åc = 12.751 (2) Å  $β = 114.333 (3)^{\circ}$   $μ = 0.49 \text{ mm}^{-1}$   $V = 667.3 (2) Å^3$  T = 296 K Z = 4  $0.18 \times 0.16 \times 0.10 \text{ mm}$  Mo Kα radiation

#### Data collection

Enraf-Nonius CAD-4 diffractometer Absorption correction:  $\psi$  scan (North *et al.*, 1968)  $T_{\min} = 0.918$ ,  $T_{\max} = 0.953$  3597 measured reflections

1273 independent reflections 1166 reflections with  $I > 2\sigma(I)$   $R_{\rm int} = 0.017$  3 standard reflections every 200 reflections intensity decay: 1%

#### Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.052$   $wR(F^2) = 0.145$  S = 1.001273 reflections

91 parameters H-atom parameters constrained  $\Delta \rho_{\rm max} = 0.58 \ {\rm e} \ {\rm \AA}^{-3}$  $\Delta \rho_{\rm min} = -0.43 \ {\rm e} \ {\rm \AA}^{-3}$ 

# **Table 1** Hydrogen-bond geometry (Å, °).

| $D-H\cdots A$            | $D-\mathrm{H}$ | $H \cdot \cdot \cdot A$ | $D \cdot \cdot \cdot A$ | $D-\mathrm{H}\cdots A$ |
|--------------------------|----------------|-------------------------|-------------------------|------------------------|
| $N2-H2\cdots N1^{i}$     | 0.86           | 2.07                    | 2.927 (3)               | 174                    |
| C6−H6···N3 <sup>ii</sup> | 0.93           | 2.57                    | 3.315 (3)               | 137                    |
| C6−H6···N3"              | 0.93           | 2.57                    | 3.315 (3)               | 137                    |

Symmetry codes: (i) -x + 2, -y + 2, -z + 1; (ii)  $-x + \frac{3}{2}$ ,  $y + \frac{1}{2}$ ,  $-z + \frac{1}{2}$ .

Data collection: *CAD-4 Software* (Enraf–Nonius, 1985); cell refinement: *CAD-4 Software*; data reduction: *XCAD4* (Harms & Wocadlo,1995); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

The authors thank the Center of Testing and Analysis, Nanjing University, for the data collection.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SU2492).

#### References

Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans.* 2, pp. S1–19.

Chang, J. B., Hu, W. D., Song, C. J., Pan, Z. L., Wang, Q., Guo, X. C., Yu, X. J., Shen, Z. H. & Wang, S. Y. (2010). *Bioorg. Med. Chem. Lett.* **20**, 7297–7298. Enraf–Nonius (1985). *CAD-4 Software*. Enraf–Nonius, Delft, The Netherlands

Harms, K. & Wocadlo, S. (1995). XCAD4. University of Marburg, Germany. North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). Acta Cryst. A24, 351–359.

Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.

# supplementary materials

Acta Cryst. (2012). E68, o2666 [doi:10.1107/S1600536812034095]

# 4-Chloro-1*H*-pyrrolo[2,3-*d*]pyrimidine

## Su-Lan Dong and Xiaochun Cheng

#### Comment

The title compound is an important organic intermediate that has been used to synthesis a drug which has shown promising activity against HCV replication (Chang *et al.*, 2010).

The molecular structure of the title molecule is shown in Fig. 1. The bond lengths (Allen *et al.*, 1987) and angles are within normal ranges. The molecule is planar with the pyrrole ring (N1/C2-C5) and pyrimidine ring (N2/N3/C1/C2/C5/C6) being inclined to one another by only 0.79 (15)°.

In the crystal, molecules are connected via a pair of N-H···N hydrogen bonds to form inversion dimers, which are further linked via C-H···N interactions (Table 1 and Fig. 2). This results in the formation of a two-dimensional network parallel to (1 0 -1).

### **Experimental**

The title compound was prepared by a method reported in the literature (Chang *et al.*, 2010). A solution of phosphoryl trichloride (22.7 g, 158 mmol) in dichloromethane (50 ml) was added slowly to a solution of 3*H*-pyrrolo[2,3-*d*]pyrimidin-4(4aH)-one (10 g, 74 mmol). After being stirred for 6 h at reflux temperature, the solvent was filtered and the organic phase was evaporated on a rotary evaporator and gave the title compound. Colourless block-like crystals, suitable for X-ray diffraction analysis, were obtained by dissolving the solid (0.5 g, 3.26 mmol) in ethanol (25 ml) and evaporating the solvent slowly at room temperature for about 7d.


### Refinement

All the H atoms were positioned geometrically and constrained to ride on their parent: N-H = 0.86 Å, C—H = 0.93 Å with  $U_{iso}(H) = 1.2U_{eq}(N,C)$ .

### **Computing details**

Data collection: *CAD-4 Software* (Enraf–Nonius, 1985); cell refinement: *CAD-4 Software* (Enraf–Nonius, 1985); data reduction: *XCAD4* (Harms & Wocadlo,1995); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

Acta Cryst. (2012). E68, o2666 Sup-1



**Figure 1**The molecular structure of the title molecule, with atom numbering. Displacement ellipsoids are drawn at the 50% probability level.




Figure 2
A view along the a axis of the crystal packing of the title compound. The N-H···N and C-H···N hydrogen bonds are shown as dashed lines (see Table 1 for details].

Acta Cryst. (2012). E**68**, o2666 sup-2

### 4-Chloro-1*H*-pyrrolo[2,3-*d*]pyrimidine

Crystal data

C<sub>6</sub>H<sub>4</sub>ClN<sub>3</sub> F(000) = 312 $M_r = 153.57$  $D_{\rm x} = 1.529 \; {\rm Mg \; m^{-3}}$ Monoclinic,  $P2_1/n$ Mo  $K\alpha$  radiation,  $\lambda = 0.71073 \text{ Å}$ Hall symbol: -P 2yn Cell parameters from 4634 reflections a = 10.8810 (19) Å $\theta = 6.4-60.4^{\circ}$  $\mu = 0.49 \text{ mm}^{-1}$ b = 5.2783 (9) Å c = 12.751 (2) Å T = 296 K $\beta = 114.333 (3)^{\circ}$ Block, colourless  $V = 667.3 (2) \text{ Å}^3$  $0.18 \times 0.16 \times 0.10 \text{ mm}$ Z = 4

Data collection

Enraf-Nonius CAD-4 1273 independent reflections diffractometer 1166 reflections with  $I > 2\sigma(I)$  Radiation source: fine-focus sealed tube  $R_{\text{int}} = 0.017$  Graphite monochromator  $\theta_{\text{max}} = 26.0^{\circ}, \, \theta_{\text{min}} = 3.2^{\circ}$   $\omega/2\theta$  scans  $h = -13 \rightarrow 11$ 

 $\omega/2\theta$  scans  $h = -13 \rightarrow 11$ Absorption correction:  $\psi$  scan  $k = -6 \rightarrow 6$ (North *et al.*, 1968)  $l = -14 \rightarrow 15$ 

 $T_{\text{min}} = 0.918$ ,  $T_{\text{max}} = 0.953$  3 standard reflections every 200 reflections intensity decay: 1%

Refinement

Refinement on  $F^2$  Secondary atom site location: difference Fourier Least-squares matrix: full map  $R[F^2 > 2\sigma(F^2)] = 0.052$  Hydrogen site location: inferred from neighbouring sites S = 1.00 H-atom parameters constrained  $w = 1/[\sigma^2(F_o^2) + (0.0781P)^2 + 0.6149P]$  where  $P = (F_o^2 + 2F_c^2)/3$  0 restraints  $(\Delta/\sigma)_{\rm max} < 0.001$ 

Primary atom site location: structure-invariant direct methods  $\Delta \rho_{\text{max}} = 0.58 \text{ e Å}^{-3}$  $\Delta \rho_{\text{min}} = -0.43 \text{ e Å}^{-3}$ 

Special details

**Geometry**. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor wR and goodness of fit S are based on  $F^2$ , conventional R-factors R are based on F, with F set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on F, and F-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters  $(\mathring{A}^2)$ 

|     | x           | У            | Z            | $U_{ m iso}$ */ $U_{ m eq}$ |
|-----|-------------|--------------|--------------|-----------------------------|
| C11 | 0.62621 (8) | 0.17642 (16) | 0.50664 (6)  | 0.0659(3)                   |
| C1  | 0.7287 (2)  | 0.3943 (4)   | 0.4803 (2)   | 0.0401 (5)                  |
| C2  | 0.8091 (2)  | 0.5538 (5)   | 0.56688 (18) | 0.0385 (5)                  |
| C3  | 0.8403 (3)  | 0.6051 (6)   | 0.6845 (2)   | 0.0533 (7)                  |

Acta Cryst. (2012). E68, o2666 Sup-3

# supplementary materials

| Н3 | 0.8069     | 0.5213     | 0.7315       | 0.064*     |  |
|----|------------|------------|--------------|------------|--|
| C4 | 0.9284(3)  | 0.8009(6)  | 0.7143 (2)   | 0.0581 (7) |  |
| H4 | 0.9656     | 0.8744     | 0.7870       | 0.070*     |  |
| C5 | 0.8835 (2) | 0.7273 (4) | 0.53211 (19) | 0.0365 (5) |  |
| C6 | 0.8026(3)  | 0.5695 (5) | 0.3549 (2)   | 0.0448 (6) |  |
| H6 | 0.8000     | 0.5698     | 0.2810       | 0.054*     |  |
| N1 | 0.9559(2)  | 0.8772 (4) | 0.62302 (18) | 0.0470 (5) |  |
| N2 | 0.8820(2)  | 0.7376 (4) | 0.42666 (16) | 0.0411 (5) |  |
| H2 | 0.9289     | 0.8447     | 0.4077       | 0.049*     |  |
| N3 | 0.7247 (2) | 0.3972 (4) | 0.37545 (17) | 0.0461 (5) |  |

Atomic displacement parameters  $(\mathring{A}^2)$ 

|     | $U^{11}$    | $U^{22}$    | $U^{33}$    | $U^{12}$     | $U^{13}$    | $U^{23}$    |
|-----|-------------|-------------|-------------|--------------|-------------|-------------|
| Cl1 | 0.0695 (5)  | 0.0685 (5)  | 0.0662 (5)  | -0.0334 (4)  | 0.0343 (4)  | -0.0032 (3) |
| C1  | 0.0408 (11) | 0.0391 (11) | 0.0427 (12) | -0.0039(9)   | 0.0195 (9)  | 0.0030 (9)  |
| C2  | 0.0379 (10) | 0.0418 (12) | 0.0393 (11) | -0.0043(9)   | 0.0193 (9)  | 0.0025 (9)  |
| C3  | 0.0585 (15) | 0.0679 (17) | 0.0406 (12) | -0.0180 (13) | 0.0276 (11) | -0.0020(12) |
| C4  | 0.0618 (16) | 0.0768 (19) | 0.0407 (13) | -0.0208(14)  | 0.0261 (12) | -0.0115(13) |
| C5  | 0.0357 (10) | 0.0374 (11) | 0.0386 (11) | -0.0018(9)   | 0.0175 (9)  | 0.0019 (9)  |
| C6  | 0.0557 (13) | 0.0454 (13) | 0.0373 (11) | -0.0035 (11) | 0.0233 (10) | 0.0020(10)  |
| N1  | 0.0476 (11) | 0.0521 (12) | 0.0452 (11) | -0.0138 (9)  | 0.0230 (9)  | -0.0071(9)  |
| N2  | 0.0474 (11) | 0.0397 (10) | 0.0433 (10) | -0.0046(8)   | 0.0260 (9)  | 0.0040(8)   |
| N3  | 0.0529 (12) | 0.0441 (11) | 0.0418 (10) | -0.0085(9)   | 0.0201 (9)  | -0.0025(8)  |

## Geometric parameters (Å, °)

| Cli Cl      |             | C4 II4      | 0.9300    |
|-------------|-------------|-------------|-----------|
| Cll—Cl      | 1.728 (2)   | C4—H4       |           |
| C1—N3       | 1.319 (3)   | C5—N2       | 1.339 (3) |
| C1—C2       | 1.378 (3)   | C5—N1       | 1.356 (3) |
| C2—C5       | 1.409 (3)   | C6—N2       | 1.312 (3) |
| C2—C3       | 1.421 (3)   | C6—N3       | 1.341 (3) |
| C3—C4       | 1.353 (4)   | С6—Н6       | 0.9300    |
| C3—H3       | 0.9300      | N2—H2       | 0.8600    |
| C4—N1       | 1.376 (3)   |             |           |
| N3—C1—C2    | 123.4 (2)   | N2—C5—N1    | 126.6 (2) |
| N3—C1—C11   | 116.75 (18) | N2—C5—C2    | 124.9 (2) |
| C2—C1—C11   | 119.89 (17) | N1—C5—C2    | 108.5 (2) |
| C1—C2—C5    | 113.7 (2)   | N2—C6—N3    | 127.6 (2) |
| C1—C2—C3    | 139.4 (2)   | N2—C6—H6    | 116.2     |
| C5—C2—C3    | 106.9 (2)   | N3—C6—H6    | 116.2     |
| C4—C3—C2    | 105.9 (2)   | C5—N1—C4    | 107.4 (2) |
| C4—C3—H3    | 127.0       | C6—N2—C5    | 113.9 (2) |
| C2—C3—H3    | 127.0       | C6—N2—H2    | 123.0     |
| C3—C4—N1    | 111.3 (2)   | C5—N2—H2    | 123.0     |
| C3—C4—H4    | 124.4       | C1—N3—C6    | 116.5 (2) |
| N1—C4—H4    | 124.4       |             |           |
| N3—C1—C2—C5 | 2.1 (4)     | C3—C2—C5—N1 | -0.2 (3)  |

Acta Cryst. (2012). E68, o2666 sup-4

# supplementary materials

| Cl1—C1—C2—C5 | -177.86 (17) | N2—C5—N1—C4  | -179.5 (3)  |
|--------------|--------------|--------------|-------------|
| N3—C1—C2—C3  | -179.7 (3)   | C2—C5—N1—C4  | 0.0(3)      |
| C11—C1—C2—C3 | 0.3 (4)      | C3—C4—N1—C5  | 0.1 (4)     |
| C1—C2—C3—C4  | -178.0(3)    | N3—C6—N2—C5  | 0.8 (4)     |
| C5—C2—C3—C4  | 0.3 (3)      | N1—C5—N2—C6  | 180.0 (2)   |
| C2—C3—C4—N1  | -0.2(4)      | C2—C5—N2—C6  | 0.5 (3)     |
| C1—C2—C5—N2  | -1.9(3)      | C2—C1—N3—C6  | -1.1 (4)    |
| C3—C2—C5—N2  | 179.4 (2)    | C11—C1—N3—C6 | 178.90 (18) |
| C1—C2—C5—N1  | 178.6 (2)    | N2—C6—N3—C1  | -0.5 (4)    |

## Hydrogen-bond geometry (Å, °)

| D— $H$ ··· $A$           | <i>D</i> —H | $H\cdots A$ | D··· $A$  | <i>D</i> —H··· <i>A</i> |
|--------------------------|-------------|-------------|-----------|-------------------------|
| N2—H2···N1 <sup>i</sup>  | 0.86        | 2.07        | 2.927 (3) | 174                     |
| C6—H6···N3 <sup>ii</sup> | 0.93        | 2.57        | 3.315 (3) | 137                     |

Symmetry codes: (i) -x+2, -y+2, -z+1; (ii) -x+3/2, y+1/2, -z+1/2.

Acta Cryst. (2012). E68, o2666 sup-5